

超微量工業安全實驗室 Ultra Trace Industrial Safety Hygiene

測試報告

報告編號: UG/2020/80107 日期: 2020年08月27日

福軒科技股份有限公司

新北市樹林區柑園街二段122巷11號1樓

以下測試之樣品係由申請廠商所提供及確認:

申請廠商地址: 新北市樹林區柑園街二段122巷11號1樓

電話/聯絡人: (02)2680-9599 / 蔡義進 樣品包裝: 請參考報告末頁樣品照片

數量: 400公克樣品保存方式: 室溫

產品型號: ---

產品批號: 20200801

製造/國內負責廠商: 福軒科技股份有限公司

製造日期: Aug 2020

有效期限: 5年

收樣日期: 2020年08月04日

測試日期: 2020年08月04日~2020年08月27日

委託測試項目: 抗菌測試。

测試方法: 本測試參考ISO 22196: Plastics-Measurement of antibacterial activity on plastics surfaces 之檢驗

方法。

測試結果: -請見下頁-

子子子名。 「東新智 經理 台灣檢驗科技股份有限 報告簽署人

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

SGS Taiwan Ltd. | No.38, Wu Chyuan 7th Rd., New Taipei Industrial Park, Wu Ku District, New Taipei City, 24890, Taiwan/ 新北市五股區新北產業園區五權七路38號

台灣檢驗科技股份有限公司 t (886-2) 2299-3939

(886-2) 2299-3939 f (886-2) 2298 -1338

www.tw.sgs.com

頁數:1 of 3



超微量工業安全實驗室 Ultra Trace Industrial Safety Hygiene

測試報告

UG/2020/80107 報告編號: 日期: 2020年08月27日

福軒科技股份有限公司

新北市樹林區柑園街二段122巷11號1樓

測試結果:

菌株名稱: 金黃色葡萄球菌 (Staphylococcus aureus subsp. aureus)

處理方式	<u>菌量數</u> (CFU/cm²)	<u>Log</u>	<u>抗菌值</u> <u>(R)</u>
A: 無加工試料平均初始生菌數	1.7 × 10⁴	4.24	
B: 無加工試料接種24小時培養後的平均生菌數	6.0 × 10⁴	4.78	4.78
C: 加工試料經24小時培養後的平均生菌數	<1	0.00	

菌株名稱: 大腸桿菌 (Escherichia coli)

處理方式	<u>菌量數</u> (CFU/cm²)	<u>Log</u>	<u>抗菌值</u> <u>(R)</u>
A: 無加工試料平均初始生菌數	6.8 × 10³	3.83	
B: 無加工試料接種24小時培養後的平均生菌數	1.9 × 10⁵	5.28	5.28
C: 加工試料經24小時培養後的平均生菌數	<1	0.00	

備註:1. 測試報告僅就委託者之委託事項提供測試結果,不對產品合法性做判斷。

- 2. 本測試報告之所有檢驗內容,均依委託事項執行檢驗,如有不實,願意承擔完全責任。
- 3. 本報告不得分離,分離使用無效。
- 4. 抗菌值(R) = 〔Log B Log C〕。

- END -

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

SGS Taiwan Ltd. | No.38, Wu Chyuan 7th Rd., New Taipei Industrial Park, Wu Ku District, New Taipei City, 24890, Taiwan/ 新北市五股區新北產業園區五權七路38號

台灣檢驗科技股份有限公司 t (886-2) 2299-3939

頁數:2 of 3



超微量工業安全實驗室 Ultra Trace Industrial Safety Hygiene

測試報告

UG/2020/80107 報告編號:

日期: 2020年08月27日

頁數:3 of 3

福軒科技股份有限公司

新北市樹林區柑園街二段122巷11號1樓

樣品照片

UG/2020/80107



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

SGS Taiwan Ltd. No.38, Wu Chyuan 7th Rd., New Taipei Industrial Park, Wu Ku District, New Taipei City, 24890, Taiwan/ 新北市五股區新北產業園區五權七路38號

Member of the SGS Group

台灣檢驗科技股份有限公司 t (886-2) 2299-3939

f (886-2) 2298 -1338 www.tw.sgs.com